(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 29 April 2004 (29.04.2004)

(10) International Publication Number WO 2004/035063 A1

(51) International Patent Classification⁷: A61K 31/7048

(21) International Application Number:

PCT/EP2003/011495

(22) International Filing Date: 16 October 2003 (16.10.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

0224197.4

17 October 2002 (17.10.2002)

(71) Applicant (for all designated States except US): SANDOZ GMBH [AT/AT]; Biochemiestrasse 10, A-6250 Kundl (AT).

(72) Inventors; and

(75) Inventors/Applicants (for US only): KULKARNI, Sushrut [IN/IN]; C002 Ganga Yamuna Apartments, Near Mohinder Singh School, Behind Ganesh Tower, Agra Road, Kalyan (W) 421 301 (IN). ZEISL, Erich [AT/AT]; Wiesing 74B, A-6200 Jenbach (AT). SUMMER, Harald [AT/AT]; Karl-Schönherr-Strasse 22 L, A-6300 Woergl (AT). SUKTHANKAR, Mangesh [IN/IN]; Madgaonkar Bldg., Above Post Office, Court Lane, Borivali (West), Mumbai 400 092, Maharastra (IN). GOPINATHAN,

Dinesh [IN/IN]; A-9/301, Rutu Enclave, Ghodbunder Road, Kavesar, Thane (West) 400 601, Maharastra (IN).

- (74) Agent: GRUBB, Philip; Novartis AG, Corporate Intellectual Property, CH-4002 Basel (CH).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LT, LU, LV, MA, MD, MK, MN, MX, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SE, SG, SK, SY, TJ, TM, TN, TR, TT, UA, US, UZ, VC, VN, YU, ZA, ZW.
- (84) Designated States (regional): Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



PHARMACEUTICAL FORMULATION COMPRISING AZITHROMYCIN MONOHYDRATE

The present invention concerns pharmaceutical orally administrable compositions comprising a compound of formula

characterized in that the compound of formula I is stabilized in the form of a monohydrate. A compound of formula I is known as an antibacterial effective ingredient under the INN azithromycin and is described e.g. in The Merck Index, 11th edition, item 928, page 146. Crystalline azithromycin is known to form solvates such as hydrates, e.g. a dihydrate or a monohydrate. Even though the hydrates of azithromycin do not need to contain a stoichiometric amount of water they can be characterized and distinguished, e.g. by their characteristic powder X-Ray diffraction spectra, as it is described for instance in EP-A-984020 or EP-A-941999.

It is known that azithromycin in the form of a monohydrate may be unstable and may contain undesired degradation products when set out to normal air humidity conditions.

WO 02/42315 discloses a process for the production of azithromycin in the form of a monohydrate which may maintain its crystalline structure shown by its characteristic X-ray powder diffraction pattern during long-term storage, e.g. for at least 2 weeks under normal air and/or humidity conditions. The stable monohydrate form of azithromycin is described to have a stable water content from 4.0% to 6.5% (w/w) of water. If the water content is out of that range, the crystalline structure including the form of solvation of azithromycin may not

WO 2004/035063

be stable and may degrade and/or be converted into undesired different forms, e.g. a dihydrate or an anhydride.

The aim of the present invention is to provide a pharmaceutical orally administrable composition comprising azithromycin wherein said azithromycin is stabilized in the form of a monohydrate. The monohydrate of azithromycin may be obtained according to a process as described in WO01/00640 or in WO 02/42315 and can be characterized, e.g. by X-ray diffractometry or by IR-spectroscopy, e.g. as referenced in EP-A-984020.

Stabilization of the crystalline structure of azithromycin in the form of a monohydrate can be achieved by adjusting the water content in a pharmaceutical orally administrable formulation in order to maintain a water content of the azithromycin of not less than 4% and not exceeding 6.5% based on the weight of azithromycin. If not otherwise stated herein, water content is determined according to the method of Karl Fischer.

The water content of the pharmaceutical orally administrable composition may be adjusted by using auxiliaries with defined water content.

A pharmaceutical orally administrable composition includes any final dosage form of azithromycin for oral administration, such as a dosage form that is ready for direct oral administration to an individual in need thereof.

In one particular aspect of the present invention the orally administrable composition is a capsule or a tablet, e.g. a film coated tablet. A capsule or a tablet may be prepared analogously, e.g. according to known methods as conventional, e.g. by direct compression, dry granulation or wet granulation, provided that the water content is in the range of about 4% to about 8% (w/w) based on the total weight of the composition during the whole process. A tablet may be coated, e.g. by a film or a coating analogously, e.g. according to methods as conventional. A tablet according to the present invention may comprise in addition to azithromycin pharmaceutically acceptable auxiliaries as conventional, such as fillers, binders, thickeners, lubricants, glidants, disintegrants, flavoring agents, taste masking agents etc. A tablet or capsule may comprise an amount of azithromycin in the form of a monohydrate corresponding to an amount of azithromycin as conventional, e.g. from 100 mg to 1000 mg per tablet.

Suitable coating materials include those materials conventionally used in coating tablets, granules and the like. In particular, coating materials suitable for use in the practice of the invention include but are not limited to water-soluble polymer coating materials, such as

cellulose derivatives, e.g. hydroxypropylmethylcellulose (e.g. Opadry), or conventional sugar coatings. The coating may additionally comprise flavoring and/or coloring agents.

Suitable lubricants or glidants includes but are not limited to alkali- or earth alkaline salts of stearic acid and talcum. Suitable fillers and binders includes but are not limited to sugars, celluloses, cellulose derivatives, polyvinylpyrrolidones, starches, starch derivatives. Suitable disintegrants includes but are not limited to starches and modified starches, silica. Suitable thickeners include but are not limited to polysaccharides, starches, starch derivatives and cellulose derivatives.

It has been found that the azithromycin can be stabilized in the form of a monohydrate by maintaining a certain degree of humidity within the pharmaceutical orally administrable composition during the whole process of preparing it. Therefore, a further aspect of the present invention is a tablet or a capsule comprising azithromycin in the form of a monohydrate wherein the water content is in a range from about 4.0%, preferably from about 4.5%, to about 8%, preferably to about 6.5% (w/w) based on the total weight of the composition.

In another aspect the present invention provides a process for preparing a tablet or a capsule comprising azithromycin in the form of a monohydrate wherein all steps are carried out under the provision that the water content of the mixture of active ingredient with auxiliaries is in the range of about 4% to about 8% (w/w) of water.

In another aspect of the present invention the orally administrable composition is a solid that is dissolved or suspended to obtain a solution or suspension for oral administration, e.g. a powder or a granulate. In addition to azithromycin, conventional pharmaceutically auxiliaries such as filler, binders, taste masking agents, lubricants, glidants etc. may be present. Preferably, a powder for an oral suspension comprises from 77% to 98.5 % (w/w) of auxiliaries, including a sugar and from 1% to 20% (w/w) of azithromycin in the form of a monohydrate and has a water content from 0.5% to 3% (w/w) based on the total weight of the composition.

A granulate or a powder for an oral solution or suspension according to the present invention may be prepared analogously, e.g. according to a process as conventional, e.g. dry blending, provided that the water content is always within the range of 0.5% to 3% (w/w) of water based on the total weight of the granules or powder.

A particular aspect of the present invention is a granulate or powder for an oral suspension or solution comprising azithromycin in the form of a monohydrate wherein the water content is in a range from 0.5%, preferably from 0.6% to 3%, preferably to 2.5% (w/w) based on the total weight of the composition. Thus, a further aspect of the present invention is a process for preparing a granulate or a powder for an orally administrable suspension or solution comprising azithromycin in the form of a monohydrate wherein all steps are carried out under the provision that the water content of the mixture of active ingredient with auxiliaries is in the range from 0.5% to 3% (w/w) of water.

The applied energy and/or the drying temperature have to be adjusted in the processes of the present invention to ensure that the water content of the compositions or of the mixtures for preparing the compositions remain in the ranges specified above.

Azithromycin in other crystalline forms, e.g. in the form of a dihydrate or in the form of an anhydride are substantially absent in the pharmaceutical orally administrable compositions of the present invention.

The crystalline structure of azithromycin, i.e. in the form of a monohydrate, has a considerable long-term stability in a pharmaceutical orally administrable composition according to the present invention. There is substantially no degradation in a composition according to the present invention. After at least 2 weeks, e.g. 4 or 6 weeks, under room temperature and humidity conditions such as 70% to 80% relative air humidity, the degradation of azithromycin in the form of a monohydrate is less than 2%, e.g. 0% to 1.8% based on the weight of azithromycin in the form of a monohydrate initially present.

The following Example illustrates the present invention but shall not be interpreted to limit it.

Examples

Example 1:

The compounds of table 1 are mixed. Approximately 50 kg of water are added. The moistened mixture is compressed into tablet cores with an average weight of 850 mg. The tablet cores are coated with 18 mg Opadry AMB OY-B-28920 per each core by spraying a .

Table 1: compounds for preparing tablet cores

component	quantity per batch of 100000 units [kg]
azithromycine monohydrate	51.2
microcrystalline cellulose (Avicel pH 102)	6.0
pregelatinised starch (Starch 1500)	20.2
sodium starch glycolate (Primojel)	4.2
colloidal silica, anhydrous (Aerosil 200)	1.0
sodium lauryl sulfate	0.3
magnesium stearate	2.1

<u>Claims</u>

- 1. A pharmaceutical orally administrable composition comprising azithromycin characterized in that the azithromycin is stabilized in the form of a monohydrate.
- 2. A composition according to claim 1 wherein the pharmaceutical composition is a tablet.
- 3. A composition according to claim 2 wherein the total water content is in the range from 4% to 8% based on total weight of the composition.
- 4. A composition according to claim 1 wherein the pharmaceutical composition is a powder for oral suspension.
- 5. A composition according to claim 4 wherein the total water content is in the range from 0.5% to 3% based on total weight of the composition.
- 6. A process for preparing a tablet or a capsule comprising azithromycin in the form of a monohydrate wherein all steps are carried out under the provision that the water content of the mixture of active ingredient with auxiliaries is in the range of 4% to 8% (w/w) of water.
- 7. A process for preparing a granulate or a powder for an orally administrable suspension or solution comprising azithromycin in the form of a monohydrate wherein all steps are carried out under the provision that the water content of the mixture of active ingredient with auxiliaries is in the range from 0.5% to 3% (w/w) of water.

Internal Pal Application No PCT/EP 03/11495

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61K31/7048

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) $IPC \ 7 \qquad A61K$

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS, EMBASE, SCISEARCH, CHEM ABS Data

DOCUME	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of	f the relevant passages	Relevant to claim No.
E	WO 2004 000865 A (RANEBURGER; SCHWARZ FRANZ XAVER (AT); SA 31 December 2003 (2003-12-31) claims; example 1	NDOZ AG (AT))	4–7
X	WO 02 42315 A (LUDESCHER JOHA RAFAEL (ES); BIOCHEMIE SA (ES 30 May 2002 (2002-05-30) cited in the application claim 4		1-7
x 	WO 01 00640 A (LUDESCHER JOHA RAFAEL (ES); BIOCHEMIE SA (ES 4 January 2001 (2001-01-04) cited in the application claims 8,17	NNES ;GARCIA); DIAGO J)	1-7
χ Furth	er documents are listed in the continuation of box C.	Y Patent family members are lister	d in annex.
A* documer consider filing de courner which is citation of documer other m.P* documer	nt which may throw doubts on priority claim(s) or s cited to establish the publication date of another or other special reason (as specified) nt referring to an oral disclosure, use, exhibition or	 'T' later document published after the interpretation or priority date and not in conflict with cited to understand the principle or tinvention 'X' document of particular relevance; the cannot be considered novel or cannot involve an inventive step when the difference of the cannot be considered to involve an indexemble or combined with one or ments, such combined with one or ments, such combination being obvious the art. '&' document member of the same paten 	h the application but heory underlying the claimed invention of the considered to ocument is taken atone claimed invention hiventive step when the lore other such docu- pus to a person skilled
Date of the a	ctual completion of the international search	Date of mailing of the international se	earch report
10	February 2004	20/02/2004	
lame and m	ailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2260 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Friederich, M	

Internal Pal Application No
PCT/EP 03/11495

0.60		PCT/EP C	13/11495
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
X	WO 02 10181 A (BANON PARDO GABRIEL ;GELPI VINTRO JOSE MARIA (ES); SINT QUIMICA SA) 7 February 2002 (2002-02-07) claim 11		. 1-7
	RU 2 188 018 C (NESTERUK VLADIMIR VIKTOROVICH; OKUN KOV STANISLAV ALEKSEEVICH; SYROV KI) 27 August 2002 (2002-08-27) abstract		1-7

information on patent family members

International Application No
PCT/EP 03/11495

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 2004000865	Α	31-12-2003	WO	2004000865 A1	31-12-2003
WO 0242315	Α	30-05-2002	AU	2189502 A	03-06-2002
			CA	2429639 A1	30-05-2002
			CZ	20031439 A3	15-10-2003
			EE	200300255 A	15-08-2003
			WO	0242315 A2	30-05-2002
			EP	1339730 A2	03-09-2003
		•	HU	0302099 A2	28-10-2003
			NO	20032371 A	10-07-2003
			SK	6352003 A3	04-11-2003
WO 0100640	 А	04-01-2001	AU	5820400 A	31-01-2001
			WO	0100640 A1	04-01-2001
			EP	1189915 A1	27-03-2002
			HR	20010956 A1	31-08-2003
			JP	2003503417 T	28-01-2003
WO 0210181	 А	07-02-2002	ES	2172417 A1	16-09-2002
		-	AU	7269501 A	13-02-2002
			WO	0210181 A1	07-02-2002
RU 2188018	C	27-08-2002	RU	2188018 C2	27-08-2002

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 29 April 2004 (29.04.2004)

(10) International Publication Number WO 2004/035063 A1

(51) International Patent Classification7: A61K 31/7048

(21) International Application Number:

PCT/EP2003/011495

(22) International Filing Date: 16 October 2003 (16.10.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 0224197.4

17 October 2002 (17.10.2002)

(71) Applicant (for all designated States except US): SANDOZ GMBH [AT/AT]; Biochemiestrasse 10, A-6250 Kundl (AT).

(72) Inventors; and

(75) Inventors/Applicants (for US only): KULKARNI, Sushrut [IN/IN]; C002 Ganga Yamuna Apartments, Near Mohinder Singh School, Behind Ganesh Tower, Agra Road, Kalyan (W) 421 301 (IN). ZEISL, Erich [AT/AT]; Wiesing 74B, A-6200 Jenbach (AT). SUMMER, Harald [AT/AT]; Karl-Schönherr-Strasse 22 L, A-6300 Woergl (AT). SUKTHANKAR, Mangesh [IN/IN]; Madgaonkar Bldg., Above Post Office, Court Lane, Borivali (West), Mumbai 400 092, Maharastra (IN). GOPINATHAN,

Dinesh [IN/IN]; A-9/301, Rutu Enclave, Ghodbunder Road, Kavesar, Thane (West) 400 601, Maharastra (IN).

- (74) Agent: GRUBB, Philip; Novartis AG, Corporate Intellectual Property, CH-4002 Basel (CH).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LT, LU, LV, MA, MD, MK, MN, MX, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SE, SG, SK, SY, TJ, TM, TN, TR, TT, UA, US, UZ, VC, VN, YU, ZA, ZW.
- (84) Designated States (regional): Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

PHARMACEUTICAL FORMULATION COMPRISING AZITHROMYCIN MONOHYDRATE

The present invention concerns pharmaceutical orally administrable compositions comprising a compound of formula

characterized in that the compound of formula I is stabilized in the form of a monohydrate. A compound of formula I is known as an antibacterial effective ingredient under the INN azithromycin and is described e.g. in The Merck Index, 11th edition, item 928, page 146. Crystalline azithromycin is known to form solvates such as hydrates, e.g. a dihydrate or a monohydrate. Even though the hydrates of azithromycin do not need to contain a stoichiometric amount of water they can be characterized and distinguished, e.g. by their characteristic powder X-Ray diffraction spectra, as it is described for instance in EP-A-984020 or EP-A-941999.

It is known that azithromycin in the form of a monohydrate may be unstable and may contain undesired degradation products when set out to normal air humidity conditions.

WO 02/42315 discloses a process for the production of azithromycin in the form of a monohydrate which may maintain its crystalline structure shown by its characteristic X-ray powder diffraction pattern during long-term storage, e.g. for at least 2 weeks under normal air and/or humidity conditions. The stable monohydrate form of azithromycin is described to have a stable water content from 4.0% to 6.5% (w/w) of water. If the water content is out of that range, the crystalline structure including the form of solvation of azithromycin may not

be stable and may degrade and/or be converted into undesired different forms. e.g. a dihydrate or an anhydride.

The aim of the present invention is to provide a pharmaceutical orally administrable composition comprising azithromycin wherein said azithromycin is stabilized in the form of a monohydrate. The monohydrate of azithromycin may be obtained according to a process as described in WO01/00640 or in WO 02/42315 and can be characterized, e.g. by X-ray diffractometry or by IR-spectroscopy, e.g. as referenced in EP-A-984020. Stabilization of the crystalline structure of azithromycin in the form of a monohydrate can be achieved by adjusting the water content in a pharmaceutical orally administrable formulation in order to maintain a water content of the azithromycin of not less than 4% and not exceeding 6.5% based on the weight of azithromycin. If not otherwise stated herein, water content is determined according to the method of Karl Fischer.

The water content of the pharmaceutical orally administrable composition may be adjusted by using auxiliaries with defined water content.

A pharmaceutical orally administrable composition includes any final dosage form of azithromycin for oral administration, such as a dosage form that is ready for direct oral administration to an individual in need thereof.

In one particular aspect of the present invention the orally administrable composition is a capsule or a tablet, e.g. a film coated tablet. A capsule or a tablet may be prepared analogously, e.g. according to known methods as conventional, e.g. by direct compression, dry granulation or wet granulation, provided that the water content is in the range of about 4% to about 8% (w/w) based on the total weight of the composition during the whole process. A tablet may be coated, e.g. by a film or a coating analogously, e.g. according to methods as conventional. A tablet according to the present invention may comprise in addition to azithromycin pharmaceutically acceptable auxiliaries as conventional, such as fillers, binders, thickeners, lubricants, glidants, disintegrants, flavoring agents, taste masking agents etc. A tablet or capsule may comprise an amount of azithromycin in the form of a monohydrate corresponding to an amount of azithromycin as conventional, e.g. from 100 mg to 1000 mg per tablet.

Suitable coating materials include those materials conventionally used in coating tablets, granules and the like. In particular, coating materials suitable for use in the practice of the invention include but are not limited to water-soluble polymer coating materials, such as

cellulose derivatives, e.g. hydroxypropylmethylcellulose (e.g. Opadry), or conventional sugar coatings. The coating may additionally comprise flavoring and/or coloring agents.

Suitable lubricants or glidants includes but are not limited to alkali- or earth alkaline salts of stearic acid and talcum. Suitable fillers and binders includes but are not limited to sugars, celluloses, cellulose derivatives, polyvinylpyrrolidones, starches, starch derivatives. Suitable disintegrants includes but are not limited to starches and modified starches, silica. Suitable thickeners include but are not limited to polysaccharides, starches, starch derivatives and cellulose derivatives.

It has been found that the azithromycin can be stabilized in the form of a monohydrate by maintaining a certain degree of humidity within the pharmaceutical orally administrable composition during the whole process of preparing it. Therefore, a further aspect of the present invention is a tablet or a capsule comprising azithromycin in the form of a monohydrate wherein the water content is in a range from about 4.0%, preferably from about 4.5%, to about 8%, preferably to about 6.5% (w/w) based on the total weight of the composition.

In another aspect the present invention provides a process for preparing a tablet or a capsule comprising azithromycin in the form of a monohydrate wherein all steps are carried out under the provision that the water content of the mixture of active ingredient with auxiliaries is in the range of about 4% to about 8% (w/w) of water.

In another aspect of the present invention the orally administrable composition is a solid that is dissolved or suspended to obtain a solution or suspension for oral administration, e.g. a powder or a granulate. In addition to azithromycin, conventional pharmaceutically auxiliaries such as filler, binders, taste masking agents, lubricants, glidants etc. may be present. Preferably, a powder for an oral suspension comprises from 77% to 98.5 % (w/w) of auxiliaries, including a sugar and from 1% to 20% (w/w) of azithromycin in the form of a monohydrate and has a water content from 0.5% to 3% (w/w) based on the total weight of the composition.

A granulate or a powder for an oral solution or suspension according to the present invention may be prepared analogously, e.g. according to a process as conventional, e.g. dry blending, provided that the water content is always within the range of 0.5% to 3% (w/w) of water based on the total weight of the granules or powder.

A particular aspect of the present invention is a granulate or powder for an oral suspension or solution comprising azithromycin in the form of a monohydrate wherein the water content is in a range from 0.5%, preferably from 0.6% to 3%, preferably to 2.5% (w/w) based on the total weight of the composition. Thus, a further aspect of the present invention is a process for preparing a granulate or a powder for an orally administrable suspension or solution comprising azithromycin in the form of a monohydrate wherein all steps are carried out under the provision that the water content of the mixture of active ingredient with auxiliaries is in the range from 0.5% to 3% (w/w) of water.

The applied energy and/or the drying temperature have to be adjusted in the processes of the present invention to ensure that the water content of the compositions or of the mixtures for preparing the compositions remain in the ranges specified above.

Azithromycin in other crystalline forms, e.g. in the form of a dihydrate or in the form of an anhydride are substantially absent in the pharmaceutical orally administrable compositions of the present invention.

The crystalline structure of azithromycin, i.e. in the form of a monohydrate, has a considerable long-term stability in a pharmaceutical orally administrable composition according to the present invention. There is substantially no degradation in a composition according to the present invention. After at least 2 weeks, e.g. 4 or 6 weeks, under room temperature and humidity conditions such as 70% to 80% relative air humidity, the degradation of azithromycin in the form of a monohydrate is less than 2%, e.g. 0% to 1.8% based on the weight of azithromycin in the form of a monohydrate initially present.

The following Example illustrates the present invention but shall not be interpreted to limit it.

Examples

Example 1:

The compounds of table 1 are mixed. Approximately 50 kg of water are added. The moistened mixture is compressed into tablet cores with an average weight of 850 mg. The tablet cores are coated with 18 mg Opadry AMB OY-B-28920 per each core by spraying a .

Table 1: compounds for preparing tablet cores

component	quantity per batch of 100000 units [kg]
azithromycine monohydrate	51.2
microcrystalline cellulose (Avicel pH 102)	6.0
pregelatinised starch (Starch 1500)	20.2
sodium starch glycolate (Primojel)	4.2
colloidal silica, anhydrous (Aerosil 200)	1.0
sodium lauryl sulfate	0.3
magnesium stearate .	2.1

Claims

- 1. A pharmaceutical orally administrable composition comprising azithromycin characterized in that the azithromycin is stabilized in the form of a monohydrate.
- 2. A composition according to claim 1 wherein the pharmaceutical composition is a tablet.
- 3. A composition according to claim 2 wherein the total water content is in the range from 4% to 8% based on total weight of the composition.
- 4. A composition according to claim 1 wherein the pharmaceutical composition is a powder for oral suspension.
- 5. A composition according to claim 4 wherein the total water content is in the range from 0.5% to 3% based on total weight of the composition.
- 6. A process for preparing a tablet or a capsule comprising azithromycin in the form of a monohydrate wherein all steps are carried out under the provision that the water content of the mixture of active ingredient with auxiliaries is in the range of 4% to 8% (w/w) of water.
- 7. A process for preparing a granulate or a powder for an orally administrable suspension or solution comprising azithromycin in the form of a monohydrate wherein all steps are carried out under the provision that the water content of the mixture of active ingredient with auxiliaries is in the range from 0.5% to 3% (w/w) of water.

al Application No PCT/EP 03/11495

Relevant to claim No.

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61K31/7048

C. DOCUMENTS CONSIDERED TO BE RELEVANT

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Category °

Minimum documentation searched (classification system followed by classification symbols) IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched


Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

Citation of document, with indication, where appropriate, of the relevant passages

EPO-Internal, WPI Data, PAJ, BIOSIS, EMBASE, SCISEARCH, CHEM ABS Data

	<u> </u>		
E	WO 2004 000865 A (RANEBURGER J;SCHWARZ FRANZ XAVER (AT); SAN 31 December 2003 (2003-12-31) claims; example 1		4-7
X	WO 02 42315 A (LUDESCHER JOHAN RAFAEL (ES); BIOCHEMIE SA (ES) 30 May 2002 (2002-05-30) cited in the application claim 4		1-7
Х	WO 01 00640 A (LUDESCHER JOHAN RAFAEL (ES); BIOCHEMIE SA (ES) 4 January 2001 (2001-01-04) cited in the application claims 8,17		1-7
X Furt	her documents are listed in the continuation of box C.	Patent family members are listed	in annex.
'A' docume consider filing of the which citation other of docume of the results o	ent defining the general state of the art which is not dered to be of particular relevance document but published on or after the international date ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another n or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or means ent published prior to the international filling date but nan the priority date claimed	'T' later document published after the Inte or priority date and not in conflict with cited to understand the principle or the invention 'X' document of particular relevance; the cannot be considered novel or cannot involve an inventive step when the do 'Y' document of particular relevance; the cannot be considered to involve an involve	the application but sory underlying the statmed invention be considered to current is taken alone taken do not be considered to staken alone taken to the step when the re other such docu-us to a person skilled
Date of the	actual completion of the international search	Date of mailing of the international sea	arch report
1	0 February 2004	20/02/2004	
	nailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Friederich, M	
om PCT/ISA/	210 (second sheet) (July 1992)		

Form PCT/ISA/210 (continuation of second sheet) (July 1992)



	INTERNATIONAL SEARCH REPORT	PCT/EP 03/11495		
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT			
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
X	WO 02 10181 A (BANON PARDO GABRIEL ;GELPI VINTRO JOSE MARIA (ES); SINT QUIMICA SA) 7 February 2002 (2002-02-07) claim 11	1-7		
	RU 2 188 018 C (NESTERUK VLADIMIR VIKTOROVICH; OKUN KOV STANISLAV ALEKSEEVICH; SYROV KI) 27 August 2002 (2002-08-27) abstract	1-7		
	•			

information on patent family members

International Application No PCT/EP 03/11495

	nt document n search report		Publication date		Patent family member(s)	Publication date
WO 2	004000865	Α	31-12-2003	WO	2004000865 A1	31-12-2003
WO 0	242315	A	30-05-2002	 AU	2189502 A	03-06-2002
				CA	2429639 A1	30-05-2002
				CZ	20031439 A3	15-10-2003
				EE	200300255 A	15-08-2003
				WO	0242315 A2	30-05-2002
				EP	1339730 A2	03-09-2003
				ΗU	0302099 A2	28-10-2003
				NO	20032371 A	10-07-2003
				SK	6352003 A3	04-11-2003
WO O	100640	A	04-01-2001	AU	5820400 A	31-01-2001
				WO	0100640 A1	04-01-2001
				EP	1189915 A1	27-03-2002
				HR	20010956 A1	31-08-2003
				JP	2003503417 T	28-01-2003
WO O	210181	A	07-02-2002	ES	2172417 A1	16-09-2002
				AU	7269501 A	13-02-2002
				WO	0210181 A1	07-02-2002
RU 2	188018	С	27-08-2002	RU	2188018 C2	27-08-2002